

Latex AL 800

1. Identification of the Substance/Preparation and the Company

Product Name: Latex AL 800
Part Number: 0800-045/025/000/120
Applications: Dipping Compound

Supplier: W.P. Notcutt Limited
Homewood Farm, Newark Lane,
RIPLEY
Surrey, GU23 6DJ
Tel: 01483 223311
Fax: 01483 479594

2. Composition/Information on Ingredients

Name	EINECS Nr.:	CLASSIFICATION	CONTENT
CAS No: AMMONIA GAS 7664-41-7	231-635-3	T. N R10, 23, 34, 50	0-1%

The Full Text for all R-Phrases are Displayed in Section 16.

COMPOSITION COMMENTS: Prevulcanised natural rubber latex.

3. Hazards Identification

Not regarded as a health or environmental hazard under current legislation.

4. First Aid Measures

Inhalation:

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion:

Nausea with risk of coagulation to form solid mass. Get medical attention if any discomfort continues.

Skin:

Get medical attention if irritation persists after washing. Wash the skin immediately with soap and water.

Eyes:

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. Rinse the eye with water immediately.

5. Fire Fighting Measures

Extinguishing Media:

This material is not flammable. Use extinguishing media appropriate for surrounding fire.

Hazardous Combustion Products:

Toxic gases/vapors/fumes of: Carbon dioxide (CO₂). Carbon monoxide (CO).

6. Accidental Release Measures

Spill Clean Up Methods:

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

7. Handling and Storage

Usage Precautions:

Avoid spilling, skin and eye contact.

Storage Precautions:

Keep in cool, dry, ventilated storage and closed containers. Keep in original container.

8. Exposure Controls and Personal Protection

Ingredient Name:	CAS No.:	STD	LT EXP 8 Hrs	ST EXP 15Min
AMMONIA GAS	7664-41-7	OES	25 ppm	35 ppm

PROTECTIVE EQUIPMENT:



VENTILATION:

Provide adequate general and local exhaust ventilation.

RESPIRATORS:

Respiratory protection not required.

PROTECTIVE GLOVES:

No specific hand protection noted, but gloves may still be advisable.

EYE PROTECTION:

Wear splash-proof eye goggles to prevent any possibility of eye contact.

OTHER PROTECTION:

Wear suitable protective clothing as protection against splashing or contamination.

HYGIENIC WORK PRACTICES:

DO NOT SMOKE IN WORK AREA. Wash at the end of each work shift and before eating, smoking and use the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. No eating or drinking while working with this material.

9. Physical and Chemical Properties

APPEARANCE:	Liquid.	
COLOUR:	White.	
ODOUR/TASTE:	Ammonia.	
BOILING POINT (°C, interval):	100	Pressure:
DENSITY/SPECIFIC GRAVITY	0.96 – 0.99	Temperature (°C): 20(g/ml):
VISCOSITY (Interval):	250 – 325 cps	Temperature (°C): 25

10. Stability and Reactivity

STABILITY:	Normally stable.
HAZARDOUS DECOMP.	
PRODUCTS:	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂)

11. Toxicological Information

INHALATION:	Vapour may irritate respiratory system or lungs.
INGESTION:	Nausea with risk of coagulation to form solid mass.
SKIN:	No specific health warnings noted.
EYES:	Spray and vapour in the eyes may cause irritation and smarting.

12. Ecological Information

ECOLOGICAL INFORMATION: Not regarded as dangerous for the environment.

13. Disposal Considerations

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

14. Transport Information

ROAD TRANSPORT NOTES:	Not classified.
RAIL TRANSPORT NOTES:	Not classified.
SEA TRANSPORT NOTES:	Not classified.
AIR TRANSPORT NOTES:	Not classified.

15. Regulatory Information

NC Not classified.

RISK PHRASES:	Not classified.
SAFETY PHRASES:	Not classified.
STATUTORY INSTRUMENTS:	Chemicals (Hazard Information and Packaging) Regulations.
APPROVED CODE OF PRACTICE:	Classification and Labelling of Substances and Preparations Dangerous for Supply.
GUIDANCE NOTES:	Occupational Exposure Limits EH40. CHIP for everyone HSG (108).

16. Other Information

INFORMATION SOURCES: Dangerous Properties of Industrial materials Report, N.Sax et al.

REVISION COMMENTS: ISSUE 2.

REVISION DATE: JULY 2002.

DISCLAIMER: This information is accurate to the best knowledge of Norcros Adhesives and is given on the understanding that the product will be used in accordance with any instructions given with this product. Should any use be contemplated outside these instructions then appropriate advice should be sought.

PRINTING DATE: 2002-07-11.

R-PHRASES (Full Text): R-10 Flammable R-23 Toxic by inhalation, R-34 Causes burns, R-50 Very toxic to aquatic organisms.